




BEN WEISSMAN

THE SSIS PACKAGE THAT TUNES ITSELF

Who am I?


Ben Weissman

 @bweissman
b.weissman@solisyon.de
<http://biml-blog.de/>

**Microsoft
CERTIFIED**
Solutions Associate
Machine Learning

**Microsoft
CERTIFIED**
Solutions Expert
Data Management and
Analytics

GENESEE ACADEMY
World-Class Training
Certified Data Vault Modeler



I
♥
DATA



Big Data
Data Science
Artificial Intelligence





1. A SHORT INTRODUCTION TO BIML

THE 3D PRINTER FOR SSIS AND MORE.

What is Biml?

- › Biml is the Business Intelligence Markup Language
- › Developed by Varigence

- › This is Biml:


```
<Biml xmlns="http://schemas.varigence.com/biml.xsd">  
  <Packages>  
    <Package Name="HelloBiml"/>  
  </Packages>  
</Biml>
```

- › Enhanced by APIs and BimlScript, it becomes very powerful
- › Can be used for T-SQL, SSIS and SSAS

Biml Frontends




Basic Concept of Biml



How does it work?

Biml Code



XML, BimlScript, C#, VB

...

Biml Engine



Result



SQL Server Tables,
DTSX Packages etc.

But what does that mean?

- › Care less about compatibility between different SQL Server Versions
- › Increase your productivity by decreasing the time it takes to build stupid data load packages... and to handle changes in meta data
- › In my opinion: Biggest advantage comes with standardization so building a staging area will see the highest improvement rates – still, there are 100s of other use cases

DEMO

AN INTRODUCTION TO BIML
THE 3D PRINTER FOR SSIS AND MORE.

The Business Intelligence Markup Language

- › Basic empty packages
- › Automating empty packages with BimlScript
- › Automating staging patterns



2. TOPOLOGY SORT

The Eight Dimensions



Topology Sort

- › Your tables have foreign key constraints
- › There may be more tables required over time or tables becoming obsolete
- › Therefore, we need to maintain a certain orchestration of our dataflows in SSIS, starting with tables that do not have a foreign key constraint, followed by the descendants

Topology Sort

- › Run through a list of all tables
- › Mark each table as „visited“ and add them to a list
- › Check for any tables pointing to the table that has not been „visited“ yet and add them behind this table so they get loaded afterwards





DEMO

TOPOLOGY SORT

Linear

Does that work in parallel as well?!

- › Load all tables without any dependencies and mark them as loaded
- › Load all immediate decendants
- › Run all remaining tables in groups until they are all done



DEMO

TOPOLOGY SORT

Parallel




3. PATTERN EVALUATION

Pattern Evaluation

- › Most tables can be loaded using different patterns (DELETE, TRUNCATE, CDC etc.) and/or connectors
- › These patterns will usually show different performance results
- › Their performance and therefore the “best pattern” may change over time
- › We want to identify the best performing pattern and use it in our regular loads

Pattern Evaluation

- › Execute each pattern n times
- › Get the average execution time
- › Mark the „best“ pattern



↓
Ø 00:10



↓
Ø 01:30



↓
Ø 00:15



DEMO

PATTERN EVALUATION




4. PERFECT CURRENCY


Perfect Concurrency

- › My Source and/or Target only allow a certain (reasonable) number of connections at a time
- › I want all my dataflows to complete in total as fast as possible
- › MaxConcurrent will not necessarily bring them in a good order
- › I want small Dataflows to run in linear groups while larger tasks should run individually in parallel

Perfect Concurrency

- › Define the number of containers and the number of tables in each container, which results in SSIS containers
- › Get the average execution time per dataflow, ordered by time descending
- › Put each table in the „smallest“ container at that time and recalculate the container sizes
- › This results in a more or less equal distribution of tables along the containers






DEMO

PERFECT CURRENCY

Want to learn more about Biml?

- › <http://biml.blog/>
- › <http://www.bimlscript.com/>
- › <http://www.cathrinewilhelmsen.net/biml/>



QUESTIONS?

BEN WEISSMAN

 @BWEISSMAN

If not now, feel free to reach out anytime!

b.weissman@solisyon.de

<http://biml.blog/>



FEEDBACK FORMS

PLEASE FILL OUT AND PASS TO YOUR ROOM
HELPER BEFORE YOU LEAVE THE SESSION

A decorative border in a light beige or gold color, featuring a complex Art Deco style geometric pattern. The border consists of multiple parallel lines and angular shapes that form a rectangular frame around the central text.

FRIDAY NIGHT, SQLBITS

PROHIBITION PARTY

THANK YOU!

BEN WEISSMAN

 @BWEISSMAN



SOLISYON